

لیست قیمت مصرف کننده محصولات کلارنت - فروردین ماه 1403



IP CAMERA



CIP-SB65300GP-WAF-NF

Price : 20.500.000

1/3" 5.0Megapixel Starlight CMOS Image Sensor
H265/H264 Encoding - Dual Stream
3.6mm F1.6 Starlight Advance Fixed lens
Main Stream 5MP (2880 * 1620) @ 20fps / 4MP @ 25fps
Built in **Microphone**
Digital WDR, 3DNR, HLC, BLC
30m Warmlight, 3 EXIR LED
Standard Onvif (Compatible with Dahua, Hikvision, Maxron & etc)
Private Protocol With Z Series XVR
Human Body Detection
IP67 Metal Case, 12VDC, **Smart PoE**
Fara View Mobile Monitoring, VMS Monitoring



IP CAMERA



CIP-LB65500TP-WAF-NF

Price : 23.850.000

1/3" 5.0Megapixel Starlight CMOS Image Sensor
H265/H264 Encoding - Dual Stream
3.6mm F1.6 Starlight Advance Fixed lens
Main Stream 5MP (2880 * 1620) @ 20fps / 4MP @ 25fps
Built in **Microphone**
Digital WDR, 3DNR, HLC, BLC
50m Warmlight, 4 EXIR Power LED
Standard Onvif (Compatible with Dahua, Hikvision, Maxron & etc)
Private Protocol With Z Series XVR
Human Body Detection
IP67 Metal Case, 12VDC, **Smart PoE**
Fara View Mobile Monitoring, VMS Monitoring



IP CAMERA



CIP-MD65300EP-WAF-NF

Price : 21.650.000

1/3" 5.0Megapixel Starlight CMOS Image Sensor
H265/H264 Encoding - Dual Stream
2.8mm F1.6 Starlight Advance Fixed lens
Main Stream 5MP (2880 * 1620) @ 20fps / 4MP @ 25fps
Built in **Microphone**
Digital WDR, 3DNR, HLC, BLC
30m Warmlight, 3 EXIR LED
Standard Onvif (Compatible with Dahua, Hikvision, Maxron & etc)
Private Protocol With Z Series XVR
Human Body Detection
IP67 Metal Case, Easy Installation, 12VDC, **Smart PoE**
Fara View Mobile Monitoring, VMS Monitoring



CCP-MD6230F-WA

Price : 9.200.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 4 Array LED
OSD Menu by UTC(output 4-in-1)
Plastic Case, **Built in MIC**



CCP-MD6230FN-WA

Price : 9.200.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 3 Sunny LED
OSD Menu by UTC(output 4-in-1)
Plastic Case
Built in MIC, Support Audio In TVI & CVI Mode



CCP-SD6530C-WA

Price : 14.650.000

1/2.8" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 2 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case, **Built in MIC**



CCP-SD6230C-WA

Price : 11.850.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 2 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case, **Built in MIC**



CCP-MD6230E-WCA

Price : 12.200.000

1/2.9" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation
Built in MIC, Support Audio In TVI & CVI Mode



CCP-MD6530E-WA

Price : 14.950.000

1/2.8" Starlight CMOS Image Sensor
2.8mm F1.2 Starlight Fixed lens
2560(H) × 1920(V) Resolution, **5.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 3 EXIR LED
OSD Menu by UTC(output 4-in-1)
IP67, Metal Case, Easy Installation, **Built in MIC**



CCP-SB6230V-WA

Price : 11.500.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 4 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case, **Built in MIC**



CCP-SB6230V-W

Price : 10.950.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 4 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6240V-W

Price : 11.150.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
40m Warmlight Length, 6 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Metal Case



CCP-SB6250L-W

Price : 11.300.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 50m Warmlight Length, 6 Array LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6550L-WA

Price : 14.600.000

1/2.8" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 2560(H) × 1920(V) Resolution, **5.0MP**
 DWDR, 3DNR, AWB, BLC,
 50m Warmlight Length, 6 Array LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case, **Built in MIC**



CCP-SB6550L-W

Price : 13.800.000

1/2.5" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 3072(H) × 1728(V) Resolution, **5.0MP** 16:9
 DWDR, 3DNR, AWB, BLC,
 50m Warmlight Length, 6 Array LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6230N-W

Price : 10.950.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 30m Warmlight Length, 4 Sunny LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6230G-D

Price : 12.000.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 30m Warmlight & 40m IR Length, 3 EXIR LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6530G-DA

Price : 15.450.000

1/2.8" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 2560(H) × 1920(V) Resolution, **5.0MP**
 DWDR, 3DNR, AWB, BLC,
 30m Warmlight & 40m IR Length, 3 EXIR LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case, **Built in MIC**



CCP-SB6230G-W

Price : 11.500.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 30m Warmlight, 3 EXIR LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6530G-WA

Price : 14.950.000

1/2.8" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 2560(H) × 1920(V) Resolution, **5.0MP**
 DWDR, 3DNR, AWB, BLC,
 30m Warmlight, 3 EXIR LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case, **Built in MIC**



CCP-LB6550T-WA

Price : 16.800.000

1/2.8" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 2560(H) × 1920(V) Resolution, **5.0MP**
 DWDR, 3DNR, AWB, BLC,
 50m Warmlight Length, 4 Power LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case, **Built in MIC**



CCP-LB6550T-W

Price : 16.100.000

1/2.8" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 2560(H) × 1920(V) Resolution, **5.0MP**
 DWDR, 3DNR, AWB, BLC,
 50m Warmlight Length, 4 Power LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6230S-RL

Price : 8.650.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 30m IR Length, SMD LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6230P-WL

Price : 8.650.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 30m Warmlight Length, 4 Array LED
 OSD Menu by UTC(output 4-in-1)
 IP65, Plastic Case



CCP-SB6240J-WL

Price : 9.100.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 40m Warmlight Length, 4 Power LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Plastic Case



CCP-MB6540H-WA

Price : 14.950.000

1/2.8" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 2560(H) × 1920(V) Resolution, **5.0MP**
 DWDR, 3DNR, AWB, BLC,
 40m Warmlight Length, 4 Power LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case, **Built in MIC**



CCP-MB6240H-W

Price : 11.500.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 40m Warmlight Length, 4 Power LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6240U-RL

Price : 8.800.000

1/2.9" Starlight CMOS Image Sensor
 3.6mm F1.2 Starlight Fixed lens
 1920(H) × 1080(V) Resolution, **2.0MP**
 DWDR, 3DNR, AWB, BLC,
 40m IR Length, 18 SMD LED
 OSD Menu by UTC(output 4-in-1)
 IP66, Metal Case



CCP-SB6240UN-RL

Price : 7.600.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
40m IR Length, 18 SMD LED
OSD Menu by UTC (output 4-in-1)
IP65, Plastic Case



CCP-SB6230R-WL

Price : 8.800.000

1/2.9" Starlight CMOS Image Sensor
3.6mm F1.2 Starlight Fixed lens
1920(H) × 1080(V) Resolution, **2.0MP**
DWDR, 3DNR, AWB, BLC,
30m Warmlight Length, 4 Array LED
OSD Menu by UTC(output 4-in-1)
IP66, Plastic Case



4CH H.265 1080P-Lite XVR
Preview Capacity: 4*1080P-Lite@25fps
Code Capacity: 4*1080P-Lite@24fps
2CH Playback
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers

AOC

CXP-4604-Z1
Price : 20.900.000



4CH H.265 5MP-Lite XVR
4CH Camera + 1CH IP Camera
Preview Capacity: 4*5MP-Lite@20fps
Code Capacity: 4*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps
4CH Playback
Support SMD (Human/Vehicle Clasification For 4CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1/1 CH Audio In/Out - 2*USB 2.0 - 1*10/100 Mbps LAN Interface
P2P support, Onvif 2.4
IOS/Andriod FARA VIEW App - Adaptive Iran & International



CXP-5604-Z1
Price : 25.400.000





4CH H.265 5MP-Lite XVR
4CH Camera + 1CH IP Camera
Preview Capacity: 4*5MP-Lite@20fps
Code Capacity: 4*(5MP-Lite@12/4MP-Lite@17/1080P@15/1080P-Lite@25)fps
4CH Playback
Support SMD (Human/Vehicle Clasification For 4CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1/1 CH Audio In/Out - 2*USB 2.0 - 1*10/100 Mbps LAN Interface
P2P support, Onvif 2.4
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5604-ZN1
Price : 25.400.000



4CH H.265 **Real 5MP** XVR
4CH Camera (Analog & IP)
Preview Capacity: 4*5MP@12fps
Code Capacity: 4*(5MP@12/4MP@15/1080P@25)fps
4CH Playback
Support SMD (Human/Vehicle Clasification For 4CH)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
Analog Video Output (BNC)
1 SATA HDD Up to 10TB
4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7604-Z1/4KL
Price : 35.700.000





4CH H.265 **Real 5MP** XVR
4CH Camera (Analog & IP)
Preview Capacity: 4*5MP@12fps
Code Capacity: 4*(5MP@12/4MP@15/1080P@25)fps
4CH Playback
Support SMD (Human/Vehicle Clasification For 4CH)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
Analog Video Output (BNC)
1 SATA HDD Up to 10TB
4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

**SMD
AOC**

CXP-7604-ZN1/4KL

Price : 35.700.000



8CH H.265 5MP-Lite XVR
8CH Camera + 2CH IP Camera
Preview Capacity: 8*5MP-Lite@12fps
Code Capacity: 8*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps
8CH Playback
Support SMD (Human/Vehicle Clasification For 8CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At
The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers

 **SMD
AOC**

CXP-5608-Z1

Price : 32.800.000





8CH H.265 5MP-Lite XVR
8CH Camera + 2CH IP Camera
Preview Capacity: 8*5MP-Lite@12fps
Code Capacity: 8*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps
8CH Playback
Support SMD (Human/Vehicle Clasification For 8CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5608-ZN1
Price : 32.800.000



8CH H.265 **4K-Lite & Real 5MP** XVR
8CH Camera + 2CH IP Camera
Preview Capacity: 8*(4K-Lite@15/5MP@12)fps
Code Capacity: 8*(4K-Lite@9/5MP@8/4MP@10/1080P@20)fps
8CH Playback
Support SMD (Human/Vehicle Clasification For 8CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
Analog Video Output (BNC)
2 SATA HDD Up to 10TB for each port (Change Adaptor to 12V/5A)
4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7608-Z2/4KL
Price :52.350.000





8CH H.265 **4K-Lite & Real 5MP** XVR
8CH Camera + 2CH IP Camera
Preview Capacity: 8*(4K-Lite@15/5MP@12)fps
Code Capacity: 8*(4K-Lite@9/5MP@8/4MP@10/1080P@20)fps
8CH Playback
Support SMD (Human/Vehicle Clasification For 8CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output
Analog Video Output (BNC)
1 SATA HDD Up to 10TB
4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7608-ZN1/4KL

Price : 52.350.000



16CH H.265 5MP-Lite XVR
16CH Camera + 4CH IP Camera
Preview Capacity: 16*5MP-Lite@12fps
Code Capacity: 16*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps
16CH Playback
Support SMD (Human/Vehicle Clasification For 16CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
2 SATA HDD Up to 10TB for each port
1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5616-Z2

Price : 56.950.000






16CH H.265 5MP-Lite XVR
16CH Camera + 4CH IP Camera
Preview Capacity: 16*5MP-Lite@12fps
Code Capacity: 16*(5MP-Lite@6/4MP-Lite@8/1080P-Lite@16)fps
16CH Playback
Support SMD (Human/Vehicle Clasification For 16CH)
Support face detection 1CH (With Special Firmware Upgarde / Not At The Same Time As SMD)
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
1/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5616-ZN1
Price : 56.200.000



8CH H.265 5MP-Lite XVR
8CH Camera (Analog & IP)
Preview Capacity: 8*5MP-Lite@20fps
Code Capacity: 8*(5MP-Lite@12)fps
8CH Playback (4CH@12fps + 4CH@1fps)
Support SMD (Human/Vehicle Clasification For 8CH)
Support face detection 1CH
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI & VGA Video Simultaneous Output
1 SATA HDD Up to 10TB
4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif
IOS-Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-5708-ZHN1
Price : 35.900.000



 **HISILICON**
NEW AI Chipset



16CH H.265 **4K-Lite & Real 5MP** XVR
16CH Camera (Analog & IP)
Preview Capacity: 16*(4K-Lite@15fps/5MP@12fps)
Code Capacity: 16*(4K-Lite@7fps/5MP@8fps)
16CH Playback
Support SMD (Human/Vehicle Classification For 16CH)
Support face detection 1CH
Support AOC In TVI Mode (DAC Technology / Broadcast Quality Audio)
Pentabrid (Analoge,AHD,CVI,TVI,IP)
HDMI 4K & VGA Video Simultaneous Output - Analoge Video Output (BNC)
1 SATA HDD Up to 10TB
4/1 CH Audio In/Out - 2*USB - 1*10/100 Mbps LAN Interface
P2P support, Onvif 2.4
IOS/Andriod FARA VIEW App - Adaptive Iran & International Servers



CXP-7616-ZHN1/4KL

Price : 79.350.000



HISILICON
NEW AI Chipset

3 Output Relay Box
1 Output With 12VDC
1 RJ45 Web Management Interface
Compatible With Z Series XVR
12VDC Input (Without Adaptor)

FARA AI ALARM BOX

Price : 13.800.000



این محصول به وسیله کابل شبکه به رکوردرهای سری زد متصل شده و با تعریف و پیاده سازی سناریوهای مختلف از طریق رکوردر و منوی خود محصول می توان از قابلیت های تشخیص انسان و خودروی دوربین و رکوردر در جهت فعال سازی خروجی محصول استفاده نمود تا خروجی تجهیزاتی از قبیل آذیر، تلفن کننده، فرمان به دزدگیر و سایر تجهیزات فرمان پذیر را فعل کرد و از دوربین ها به عنوان دتکتور محیطی با هوش مصنوعی و دقت بسیار بالا استفاده نمود